

The Community Theatre Reopening Guide

Edited and compiled by Neill Kernohan and Lynda Muir

April 11, 2021

Table of Contents

<i>Version History</i>	3
<i>How to Use this Guide</i>	4
<i>Planning when to reopen: When it's legal and reasonably safe</i>	5
<i>Patron Education</i>	5
Changing expectations.	5
What to explain.	5
Where to message.	6
How to Message	7
<i>Health and Hygiene</i>	9
Practices for Volunteers	9
Responding to Confirmed Cases	12
<i>Sanitizing the Venue</i>	11
Sanitizing High-Touch Areas	11
Cleaning and Disinfecting	14
<i>Entrances and Exits (Front-of-House)</i>	13
<i>Production Issues</i>	14
<i>Emergency Exit Plan</i>	20
<i>Safety Plan</i>	17
<i>Resources</i>	18
<i>Appendix A: Code of Conduct</i>	24
<i>Appendix B: Attendance Record Template</i>	25
<i>Appendix C: "Cleaning and Sanitizing the Venue" Checklist</i>	26
<i>Appendix D: The Government of Ontario's COVID-19 Safety Plan</i>	29
<i>Appendix E: Links to Mandatory Face Coverings Signage</i>	34

Version History

Version #	Date	Revised By	Reason for Change
1.3	April 11, 2021	Lynda Muir	Added in new information from “Live Performance Health and Safety during COVID-19” issued by the “Live Performance Health and Safety Advisory Committee and Ontario Ministry of Labour, Training and Skills Development” on February 10, 2021
1.2	August 20, 2020	Neill Kernohan	Added “2020 COVID-19 Aerosol Transmission Estimator”. Added “Performing Arts Aerosol Study”. Added Actors’ Equity’s preproduction COVID-19 safety sheet.
1.1	August 10, 2020	Neill Kernohan	Added “Version History”. Added new information regarding the Contract Tracing App to both the “Health and Hygiene” and the “Production Issues” sections.

How to Use this Guide

The Community Theatre Reopening Guide is a work compiled for community theatres by community theatre people, using the best information open to us at the time. Each community theatre will have different challenges, depending on the size of its audience, the number of actors in a show, its geographical location—to name a few. We have tried to strike a balance between giving you a checklist and going through every available option. This guide is not an exhaustive list of every possible option; this guide is so you can work with your board and patrons to create the best possible scenario for your theatre.

In February 2021, The Live Performance Health and Safety Advisory Committee and the Ontario Government Ministry of Labour released a document outlining the best health and safety practices for theatres and performing arts venues planning to re-open during Covid-19.¹ They recommend that theatres revise their policies and protocols to reflect changes in how they now will operate. These guidelines are specific to professional theatres. However, our re-opening guide has been revised for Community Theatres with their recommendations in mind. Specific focus areas have been adapted to our sector and include:

- screening measures.
- response protocols for volunteer, members, and patrons who do not pass the screening or become symptomatic during the workday.
- how physical distance will be maintained.
- disinfection of the theatre.
- limiting the requirement for members and volunteers to physically attend the venue for petty cash, cheque pick-up, etc.
- accommodations for people at higher risk from infection. All personal information (e.g., where a volunteer discloses an underlying health condition) must be handled in accordance with applicable privacy legislation.

In this guide, we've distinguished between "patrons", "members" and "volunteers". A patron pays to attend any kind of event at your theatre; a member pays a membership fee and receives updates; a volunteer works at your theatre to create a show or event, including cast/crew, front-of-house, board, appointees, and committee members).

While we acknowledge that COVID-19 is the disease and that SARS-CoV-2 is the virus, for the purposes of this document we will be using COVID-19 throughout to refer to the virus and the disease.

This is no guarantee that even if you follow everything, you won't still have someone ill. But by planning, training and implementing reasonable measures, you are protecting your theatres and inspiring patrons to return to the places where art lives.

Planning when to reopen: When it's legal and reasonably safe

Even a government directive does not mean it's time for your theatre to reopen. For instance, it may be possible for your theatre to keep the number of patrons in your space below the legal limit, but you might not be able to keep physical distancing in the lobby. How do you reopen during a highly contagious global pandemic in which even asymptomatic people can carry the disease, and most places currently lack widespread testing, contact tracing, or a vaccine?

If the first attempt at reopening is a failure, it could put any further re-openings of community theatres at risk. We must get it right and work with each other to open safely. We're all eager to get back into the theatre and bring life back to our stages, but the decision to reopen must be taken with a realistic assessment of the ability of our theatre companies to resume safely.

Patron and Member Education

As we look towards reopening, we must work together with everyone (patrons, members, and volunteers) to allow our theatres to open safely. Because COVID-19 is highly contagious, everyone must do their part.

Changing expectations.

In some areas, there is resistance to face coverings and physical distancing. The "new normal" needs to be accepted by all. Widespread messaging by theatre companies will ensure patrons learn that the new protocols are for their protection.

What to message.

A. Prior to Coming to the Theatre

The theatre's new Covid-19 protocols and expectations can be communicated to patrons and members prior to coming to the theatre.

- Patrons and members should be informed through various communication channels of the theatre's policy "restricting people exhibiting symptoms of COVID-19 and people who have come into contact with anyone who has tested positive for COVID-19. Patrons should be advised that they will not be allowed access to the facility if they develop symptoms prior to the event".²
- Also, the theatre's COVID-19 protocols around physical distancing, mask wearing, refreshment availability, queuing, and entrances and exits into and out of the theatre could be clarified. Theatres will need to be creative when developing a process for patrons to safely move in and around the theatre space and will need to convey the information to everyone who enters the space.
- At point of sale, theatres could consider adding a checkbox for patrons to select affirming that they have read the new protocols and/or *Code of Conduct*.

- If your theatre has a *Code of Conduct* for patrons and volunteers, consider adding the new protocols. If your theatre does not have a *Code of Conduct*, consider creating one at this time with these protocols embedded in it. (See Appendix A.)
- Make all messaging positive, practical, and proportionate.

B. At the Theatre

At the theatre signage can be used to clarify the new protocols and expectations. They can be located at the front door and other high-traffic places within the theatre, including stage entrance, backstage, near the bar/coffee area, washrooms, and at the box office.

Signs can be posted outside that provide:

1. general information about COVID-19,
2. screening questions, including COVID-19 diagnosis, symptoms, travel, contact with someone who has COVID-19 or is quarantining,³ building access information, including lining up or queuing, and temperature taking. If theatres choose to take temperatures at point of access, they should include the rationale and explain that no one will be allowed entry if their temperature reading is above 38°C or 100.4°F.⁴ Entrance to the theatre will be denied to anyone who does not pass the screening process. Theatres may choose to offer patrons an exchange or refund.

Internal signage at the box office, bar/coffee area, and washrooms can provide:

1. physical distancing protocols,
2. entrance and exit instructions to control flow of traffic,
3. information and instructions on safe hand hygiene and respiratory etiquette,
4. cleaning and disinfecting protocols that the theatre has undertaken. (See [Public Health Canada Cleaning and Disinfecting Public Spaces](#) and [Public Health Ontario Cleaning and Disinfection for Public Settings](#)).

Auditorium signage could consist of:

1. entrance and exit protocols,
2. program pick up and drop off,
3. aisle and seat identification to allow audience to find seats more easily.

Where to message

Message *everywhere*. The more people see the message, the less likely that you will have to explain further at the door. Consider including statements like “We’re putting safety first” and “We’re all in this together”. Theatres can communicate their message through:

- Website.
- Social media channels.
- Ticket purchasing sites.
- Emails, E-blasts. and push notifications.
- Volunteers.

How to Message

- **Marketing.** Consider using marketing professionals to make the signs attractive and appealing.
- **Photos and videos.** Photos and videos can be beneficial in showing how actors have complied with the new protocols and expectations during rehearsals and how patrons are having fun at the theatre while complying. Audio-visuals also can be used to demonstrate cleaning and disinfecting measures taken by the theatre.
- **Announcements.** Any announcements before and during the show should clearly discuss what is expected of patrons and volunteers.

Health and Hygiene

Because COVID-19 is highly contagious with no vaccine, everyone must address the health risks of working in the close confines of a theatre. Air flow, physical restrictions of the space, barriers to maintaining physical distancing, and the demographics of patrons and volunteers all need to be addressed and resolved before a theatre can open safely. Theatres may want to assess their HVAC systems, and either upgrade to high efficiency filters or completely upgrade the entire system.

- **Covid-19 Health and Safety Coordinator.** This guide recommends that one or more volunteers be designated the Covid-19 Health and Safety Coordinator for the theatre. According to the Ontario Government, performing arts venues should identify key “individuals with chief responsibility(ies) for COVID-19 prevention/response, including responsibility for monitoring public health updates.”⁵ Coordinators with medical, health and safety, or risk management training/experience would be an asset. The Coordinator should have the following functions:
 - Coordinate with, communicate, and help implement public health guidelines.
 - Work closely with the board of the theatre and the producer of each show to implement the theatre’s Covid-19 Safety Plan.
 - Help create and implement volunteer training that applies current information and best practices about infection control measures, including physical distancing,

handwashing, use of masks and/or PPE, cleaning and disinfecting, and, if used, temperature checking.

Protocols and Expectations

The following list of protocols is not exhaustive but offers some guidance when structuring a re-opening plan. To ensure that the protocols are understood, theatres may choose to have volunteers sign off on them and other policies and procedures.⁶

Physical Distancing. Public health guidance stresses that whenever possible, everyone should leave at least 2m between themselves and the person closest to them. (See [Public Health Ontario Physical Distancing Poster](#))

There are a number of practical steps that theatres can take to manage physical distancing. For instance, they can:

- Implement virtual queuing to avoid lineups.
- Monitor lineups (if used).
- Assign arrival times, extend time between door opening and the start of the performance, or schedule the opening of the theatre and the house at exactly the same time.
- Utilize assigned seating (if not already in place).
- Reduce seating capacity to conform to physical distancing requirements.
- Consider shows with no intermissions but if intermissions are used, they will need to be longer to accommodate physical distancing for washrooms.
- Limit the number of volunteers in any one location.

Recommendations for dealing with physical distancing during the run of a show include:

- Patrons/Members
 - Maintain a 2m physical distance from other patrons not in their group.
 - Limit time spent in the washrooms and refreshment areas.
 - Leave the theatre as directed immediately after a show. Do not wait to see the actors.
 - Once in their seat, do not get up and walk around unless it is to go to the washroom.
 - Follow directions of the front-of-house staff when entering/ exiting the theatre.
- Front of House Volunteers
 - Limit the number of patrons in the theatre at one time⁷
 - Use floor decals to mark 2m.
 - Use ropes, lines or stanchions to maintain physical distance.
 - Different entrances and exits for patrons and/or one-way walkways or marked off areas designated as walking areas.
 - Seat patrons by section or implement timed entry to reduce overcrowding at doors and aisles. Or seat patrons from front to back reduce contact.

- Limit front-of-house involvement with audience by using self-seating and contact-free programs. Use aisle signage and/or decals to assist patrons.
- Discourage congregation of patrons in the lobby, at the bar/coffee area or in the washrooms. Limit movement to designated areas.
- Separate entrances and exits for front of house volunteers.
- **Cast/Crew**
 - Separate entrances and exits for cast and crew
 - Actors work in bubbles, practice physical distance when they can. “working cohorts is not a replacement for physical distancing”.⁸
 - Crew wear face coverings (non-medical masks or NMM) backstage and maintain 2m distance from actors whenever they can
 - Tech or booth crew distance themselves from backstage as much as possible and wear NMM when at the theatre. If there is close contact in the booth between operators, the theatre should consider installing a plexiglass barrier between them.
 - 3-hr rehearsal periods.
 - No contact with audience before or after show
 - Maintain at least 2m between audience and actors on stage, more if possible, and especially for musical theatre performances

Hand Washing. Frequent hand washing with soap is vital to help combat the spread of any virus. Everyone should wash their hands for twenty seconds at least every sixty minutes, and dry thoroughly with a disposable towel or dryer. Appropriate sanitizer may be used when a sink is not available. Hand sanitizers can be located at entry and exit points, bar/coffee area, box office, washrooms, and backstage. (See [Public Health Ontario Covid-19 Hand Hygiene Poster](#)) Use no-touch sanitizing dispensers if possible.

- **Gloves.** Gloves are not a substitute for regular hand washing. Volunteers using gloves should be trained in proper usage and gloves should be disposed of properly. It has been recommended that gloves be used when taking money, handling POS machines or credit cards, taking tickets, handling food and beverages, temperature taking and health checks, and cleaning and disinfecting.
- **Medical Masks, Face Coverings and Non-Medical Masks (NMM).** Physical respiratory protection such as a cloth face covering or NMM should be worn whenever people are within two metres (six feet) of each other. Since NMM protect others but do not necessarily protect the wearer from transmission, PPE (medical or N95 masks and face shields) should be used when physical distancing of at least 2 metres cannot be reasonably maintained. This can include box office volunteers, ticket takers or ushers, bar/coffee and raffle volunteers, and crew working backstage and in the booth. Anyone taking temperatures and/or conducting screening prior to entry will need a medical or N-95 mask and face shield when dealing with potentially sick volunteers or patrons.⁹ Patrons are required to wear NMM when in the theatre. If the government directives around face masks is relaxed it may be wise to require patrons to wear face coverings. Face covering requirements for volunteers should include instruction on proper use. (See [Public Health Ontario Non-Medical Masks and Face Coverings](#))

- **Respiratory Etiquette.** Respiratory etiquette describes a combination of measures intended to minimize the dispersion of large particle respiratory droplets to reduce virus transmission when an infected or ill person is coughing, sneezing, laughing, or talking. Individuals should cough or sneeze into a tissue, or the bend of the arm, not their hand. Tissues should be disposed of as soon as possible in a lined waste container and hand hygiene performed immediately. (See [Public Health Ontario's Respiratory Etiquette Poster](#))
- **Active Screening and Temperature Screening Protocols.** Theatres should implement a screening process and a brief questionnaire, either a self-assessment web tool filled out prior to coming to the theatre ¹⁰ or by on-site by volunteers asking questions before entrance. The questionnaire should be created in consultation with Public Health. (See

[Toronto Public Health Covid-19 Screening Questionnaire](#) and [York Region Public Health Covid-19 Self-Assessment](#)) Current evidence suggests that temperature checks on their own may be an insufficient screening tool.¹¹ However, theatres may choose to conduct temperature screening at each point of entry with volunteers using “no-touch” thermometers. Anyone displaying a temperature over 38.0 C (100.4 F) should not be allowed entry. Safety plans could include a refund policy and protocols on how to handle groups where one member is denied entry.

- **Box Office.** Touchless ticket options reduce the possibility of contamination. This could include print-at-home tickets, no cash, POS machines, ticket scanners, and disposable wooden stylus for POS machines.¹²
- **Training.** All volunteers should be trained in the COVID-19 symptoms, preventative measures, and theatre Covid-19 protocols. “Consider the time it will take to develop, implement and train individuals on best practices to reduce risks associated with COVID-19.” ¹³ Training should include hand hygiene, the proper use of masks and gloves, and sneeze and face touching etiquette. Volunteers should have strategies for dealing with patrons who are unwilling to adhere to the theatre’s protocols or unable to understand why the theatre has undertaken the steps it has. Volunteers also will require training on the safe use of cleaning products and cleaning and disinfecting protocols.¹⁴
- **Contact Tracing.** Ontario has instituted a COVID-19 alert app. However, not all Ontarians have downloaded the app. Therefore, in order to be able to provide contact information to Public Health should someone test positive, it is recommended that theatres maintain an attendance record of rehearsals and performances. ¹⁵ These records should include contact information (cell phone # if possible or home phone #). This can be kept for at least 14 days in case someone was at the theatre during that time, has been confirmed to have Covid-19, and Public Health needs the information for contact tracing. (See Appendix B for an attendance record template.)

It is strongly recommended that all volunteers, cast, and crew be required (if technically possible) to have the app on their personal devices. This will help in contract tracing (if needed).

Responding to Confirmed Cases

If someone is confirmed to be infected with COVID-19 and the theatre is notified, the theatre should ensure that Public Health is immediately notified.¹⁶ It would be illegal to provide to anyone else the infected person's name or other information that could be used to determine their identity.

- Utilize the theatre's Covid-19 Safety Plan.
- Determine what areas of the theatre were visited, used, or impacted by the volunteer or patron.
- Assess whether the person's role put them within two metres of anyone else
- Work with local Public Health and follow their recommendations
- If needed (Public Health may take care of this), notify impacted volunteers and patrons.
- If patrons or members become symptomatic while at the theatre and declare it to one of the volunteers, the volunteer would immediately isolate them from others and inform the person in charge (e.g., Stage Manager, Producer, Covid-19 Health and Safety Coordinator). The Covid-19 Safety Plan would be activated, and local Public Health notified.

Cleaning and Sanitizing the Venue

Cleaning and Sanitizing High-Touch Areas

Regularly clean and disinfect all surfaces and objects that are touched frequently. The product used to disinfect should have an 8-number DIN and be approved by the applicable health authority. Public Health Ontario recommends cleaning and disinfecting at least twice daily¹⁷ but theatres may want to add extra cleaning and disinfecting during rehearsals and performances after consultation with their local Public Health. Public Health Canada recommends that you do not sweep or dust. Instead use a wet cloth or damp mop so as not to disturb any virus droplets.¹⁸ Increase the number of waste receptacles (non-touch) near washrooms and entrances to reduce the accumulation of litter. Establish a cleaning protocol that includes high contact surfaces throughout the theatre.¹⁹ Theatres may consider hiring an external cleaning company to perform regular cleaning and disinfecting of the theatre space.²⁰

Public Areas (lobby, hallways, bar/coffee area)

- Door handles, handrails, push plates
- Handrails for stairs, ramps
- Light switches and thermostats
- Display cases
- Box Office counter
- Telephones, Point of Sale terminals, and other keypads
- Tables and chairs
- Beverage stations, water fountains, vending machines
- Trash receptacle touch points

Restrooms (front and back of house)

- Door handles and push plates
- Sink faucets and counters, and toilet handles
- Lids of containers for disposal of women's sanitary products
- Soap dispensers and towel dispenser handles
- Baby changing stations
- Trash receptacle touch points

Back of House Offices, Dressing Areas, Green Rooms, Production Areas (including booth and theatre)

- Individual office and other room furniture
- Door handles, push plates, doorways, railings
- Light switches and thermostats
- Counter tops, cabinet handles, and chairs in dressing rooms
- Props tables
- Telephones, computers, other keypads, mouse
- Microphones
- Headphones
- Backstage and booth technical equipment
- Trash receptacle touch points
- Seat arm rests and aisle railings in the theatre

Each actor is responsible for cleaning and disinfecting all personal props or items used for the production.

There is to be no sharing of makeup, wigs, jewellery, or costumes during rehearsals or the run of a show. Shared props on the props' tables should be disinfected before and after each show.

Kitchen and Food Preparation Areas

- Handles of all kitchen equipment doors, cabinets, push pads
- Counter surfaces
- Light switches
- Handles of beverage and towel dispensers
- Handles of sinks, including handwashing sink and mop sink
- Cleaning tools and buckets
- Trash receptacle touch points

Cleaning and Disinfecting

- Both cleaning and disinfecting are required since disinfecting doesn't remove dirt and cleaning doesn't eliminate germs. If possible, use a product that does both.²¹
- Cleaning Technique. Clean high-touch areas by using water and soap or cleaning solution to remove dirt and impurities from surfaces and objects and reduce germ counts.

- Disinfecting Technique. High-touch areas should be disinfected using materials effective against COVID-19. Electrostatic disinfecting can quickly disinfect a seating area between events. Electrostatic disinfecting is a means of spraying a fine mist of positively charged disinfectant particles that adhere to surfaces and objects.²²
- Following the Manufacturer's Instructions. In all instances, including technical and production equipment such as microphones and headphones, it is important that cleaning procedures follow the manufacturer's instructions. This will increase the likelihood of a thorough cleaning while not damaging the equipment or voiding a warranty.
- Disposal. Place gloves, used mop heads, and other disposable items used for cleaning and disinfecting in specifically designated Covid-19 garbage bags and/or garbage receptacles before disposing of them.
- Frequency. The frequency of cleaning high-touch areas should be determined based on the surface or object and how it is used, applying guidance from local health authorities.
- Documentation. Documenting that health and safety practices were followed at the correct intervals can help a theatre show that it behaved reasonably under its circumstances. Cleaning logs need to be carefully entered and preserved for reference. Checklists can be provided so that volunteers are clear what is required (See Appendix C for Cleaning and Sanitizing Checklist). Events that contract to use a venue should request a copy of the venue's cleaning and disinfection plan.

Entrances and Exits (Front-of-House)

Physical distancing will need to be adhered to when patrons enter and exit the theatre. It also is important to ensure an orderly entrance and reduce patron and front-of-house contact. There are various methods for ensuring an orderly process.²³

- Require all front-of-house volunteers wear medical or N95 masks, face shields, and gloves when on shift.
- Place barriers at entrances and exits such as ropes or stanchions to assist patrons with the flow of movement.
- Monitor the flow of movement into the house by allowing a specific number of patrons in at one time. This will reduce the possibility of a backlog as patrons look for and settle in their seats.
- Limit patron movement to designated seating area only by informing them of this when they enter the house.
- If a ticket scan is used, move the area away from the doorway to increase distancing.
- Utilize self-service program pick up and ticket drop off to eliminate patron and front-of-house volunteer contact. Eliminate program reuse practice.
- Provide disinfecting wipes to patrons to sanitize the seating area.
- Increase floor marking and aisle signage to make finding seats easier.
- Manage exits by having patrons leave according to row or section, front to back of the house. This can be done by monitoring the movement or by having the rows called out

by the front-of-house person or another designated volunteer at the end of the show. Incorporate the same technique at intermission.

Food and Beverage

- To maintain physical distancing and to mitigate risk as much as possible at the food and beverage counter, theatres can:²⁴
- Establish the number of patrons who can approach the counter at one time.
- Clearly mark 2m distance requirement when in line at the counter and when approaching the counter.
- Require volunteers to wear medical or N95 masks, face shields, and gloves.
- To minimize contamination at the bar/coffee area, theatres can assign one volunteer to handle the cash and others to distribute the beverages and snacks.
- Clearly identify serving and point of sale areas and distance them from each other to provide greater physical distancing between volunteers. POS terminals should be sanitized between each user and before and after each shift. Self-service or mobile pre-ordering and pay stations can limit contact and reduce the serving time.
- Provide plexiglass barriers at point of sale and between volunteers behind the counter.
- If tables and chairs or café tables are used, configure them to ensure physical distancing is maintained.
- Locate and clearly identify hand sanitizing stations nearby.

Production Issues

There are a broad range of production concerns and issues that theatres will face when they re-open.²⁵ For instance:

- Casting and auditions. If possible, theatres may want to cast remotely using virtual means. Eliminate open calls and assign arrival times. Do not allow individuals to enter the theatre until their scheduled time which can be communicated by text. If providing paper copies of scenes, don't share them between performers and provide a recycle bin for performers to dispose of them.²⁶
- Maintain physical distancing of 2 metres between actors, backstage crew and actors, and booth operators and backstage. Establish and post occupancy limits to reduce the number of people in the space at any one time. Restrict dressing rooms to single occupancy if physical distancing cannot be maintained. Theatres may decide to install protective plexiglass barriers in the dressing rooms to separate actors.
- Limit contact on stage and eliminate close contact (may involve removing scenes that require close contact). If closeness is required, minimize the number and duration of scenes involving close contact. Intimate and close contact scenes should be limited to body parts easily sanitized (e.g. neck kissing rather than mouth-to-mouth). If kissing cannot be eliminated, ask actors to rinse their mouths with a hydrogen peroxide-based oral rinse prior to the performance.
- Masks are to be worn at all times unless an actor is on stage.²⁷

- Request that all those involved in a production conduct a self-assessment prior to coming to the theatre.²⁸
- Instruct volunteers involved with a show who have symptoms of cold, flu, or Covid-19, have been diagnosed with Covid-19, or in contact with someone who has been diagnosed to stay home and contact the theatre as soon as possible. (See [Ontario Government Covid-19 Stop the Spread](#) and [Ontario Government Covid-19 Self-isolation and Return to Work](#))
- Contact and inform the rights holder if scenes are going to be eliminated or changed substantially.
- Position musicians and/or singers to maximize physical distancing from other performers and audience members. “Singers and players of wind or brass instruments must be separated from spectators by plexiglass or some other impermeable barrier”²⁹
- Singing or playing of instruments may result in a greater dispersion of droplets due to higher density breathing which requires additional steps to be taken.³⁰
- Develop a method of movement for backstage crew that reduces contact with cast. Maintain specific “bubbles” within which cast and crew can work is recommended.
- Reduce the number of volunteers on stage for each show. Each production team needs to develop a strategy for staffing levels during set build, tech set up and check, rehearsal, run, and strike.³¹
- Minimize the sharing of items such as tools, equipment, props, instruments, and musical scores. If sharing cannot be avoided, establish a cleaning and disinfecting protocol before each person uses the item. If an item is shared, each person should wash his/her hands before and after using the item.
- To further mitigate against risk, crew, director, producer, and designers are required to wear NMM while at the theatre.
- With the very real possibility of smaller houses, extend a run to ensure all subscribers and ticket holders can attend the production.
- Consider acquiring royalties and licences earlier than normal for all productions. With cancellations and changes, royalty houses may be extremely busy.
- Eliminate interaction between performers and audience (for example, after a show).
- Maintain a minimum distance of 2m between performers and audience during the show and consider increasing the distance for a musical.
- Eliminate or reduce the sharing of technical equipment. Theatres can use the same booth operators, backstage crew, and SM throughout the production. If this is not possible but there is adequate technical equipment for each crew member to use, label each item with the crew member’s name, store in a plastic bag, and place in a bin at the end of each show. If neither of these options is feasible, reduce sharing of items by keeping the same crew on for each week during the run of the show. This will allow time between each week’s run for the headset and microphone to lie dormant.
- Require all cast and crew (if technically possible) to have the COVID-19 Alert App downloaded to their personal devices and active for contact tracing.

Signage

Signage at the stage door can include:

1. Covid-19 protocols and procedures,
2. building access information,
3. screening questions,
4. instructions to self-monitor while in the theatre.

Signage in booth and backstage can specify:

1. occupancy limits,
2. physical distancing, including dressing rooms,
3. mask wearing protocols,
4. hand and respiratory hygiene,
5. limiting more than one user per item (tools, makeup, props, headsets),
6. cleaning and sanitation of shared and personal equipment,
7. cleaning and sanitizing protocols.

Emergency Exit Plan

The need for social distancing creates significant challenges when planning to evacuate a crowd during an emergency. Likewise, if patrons are to be instructed to leave the theatre in an emergency, volunteers will need training to manage the exiting crowd to avoid the risk of contagion while they flee from some other hazard. These may not be significant obstacles for the smaller crowds that may initially return to the show, but theatres may be wise to consult with Public Health regarding their emergency exit plan, especially for larger venues when they return to full houses. Note: The goal of maintaining 2m between people would become a distant secondary consideration if there is a clear and imminent danger requiring an emergency evacuation. Even during this pandemic, emergency exit plans should reflect that moving patrons away from the most urgent hazard is the first order of business.³²

Selecting a Mitigation Strategy for Your Theatre


The Johns Hopkins report³³ proposes a Framework for Mitigation Strategies according to the familiar hierarchy of controls, adapted for COVID-19 purposes. When planning mitigation strategies, a layered approach using a combination of measures is superior to the use of individual measures and is particularly important in settings where implementation of more protective measures is not possible. Note that different protocols offer different protection.

Wherever possible, use the protocols that offer the highest level of protection and add additional protocols as required.²³

First level protection (elimination): Limit the number of people in your theatre when possible by establishing occupancy limits and rearranging the space to ensure that volunteers are at least 2m from other volunteers, patrons, and performers.

Second level protection (engineering controls): If you can't always maintain physical distancing, install barriers such as plexiglass to separate people and by increasing ventilation.

Third level protection (administrative controls): Establish protocols and guidelines, such as cleaning and disinfecting protocols, reducing the sharing of tools and equipment, implementing one-way doors or walkways, and using technology to facilitate communication. Provide education and training on proper handwashing technique.



Fourth level protection (PPE): If the first three levels of protection aren't enough to sufficiently mitigate the risk, institute the use of medical or N95 masks, face shields, and gloves. Ensure masks are selected and cared for appropriately and that volunteers are [using masks correctly](#).

Safety Plan

Provincial governments are requiring workplaces to institute a safety plan to mitigate the risk of COVID-19. Theatres can use the Ontario Government's (See [Ontario Government Develop Your](#)

[Covid-19 Workplace Safety Plan](#)) to develop a Safety Plan that outlines the policies, guidelines, and procedures they have put in place to reduce the risk of COVID-19 transmission. We have adapted the Safety Plan for community theatre use (See Appendix D for the template.)

For another resource, Actors' Equity in the USA has put out a preproduction COVID-19 safety sheet which can help with re-opening plans.

<https://actorsequity.org/resources/Producers/covid19-info/pre-production-covid-19-safety-sheet.xlsx>

Resources

Aldelman, Steven A. (ed). [*The Event Safety Alliance Reopening Guide: For Event Professionals During the COVID-19 Pandemic*](#). The Event Safety Alliance.

[*Coronavirus Disease 2019 \(COVID-19\): Cleaning and Disinfecting for Public Settings*](#). Ontario Government: Ontario Public Health: March 11, 2020.

[*Community-based measures to mitigate the spread of coronavirus disease \(COVID-19\) in Canada*](#). Government of Canada: Public Health Agency of Canada: May 30, 2020.

[*Live Performance Health and Safety During COVID*](#). Ministry of Labour: The Government of Ontario, February 10. 2021

Marshall, C. J. and Christian, Dionne. [*Guide to Reopening Theatrical Venues \(2nd Draft Edition\)*](#). The Performing Arts Centre Consortium: Advisory Committee on Reopening: May 15, 2020.

[*Newfoundland/Labrador Covid-19 Guidelines for Re-Opening Theatres and Performing Arts Venues \(Performance Venues\) at Alert Level 2*](#): June 25, 2020.

[*Performing Arts: Protocols for Returning to Operation*](#). Work Safe BC: July 13, 2020.

[*Re-Opening Newmarket Business: A Playbook*](#). Newmarket Chamber of Commerce: June 2020.

Rivers C, Martin E, Watson C, et al. [*Public Health Principles for a Phased Reopening During COVID-19: Guidance for Governors*](#). Johns Hopkins Bloomberg School of Public Health, Center for Health Security: April 17, 2020.

[*Saskatchewan Movie and Live Theatre Guideline*](#). Government of Saskatchewan.

Smaine, Darta. [*The Theatre Industry in Latvia is Resuming Post COVID-19, Here's How They're Doing It*](#). OnStage Blog.

Endnotes

1 *Live Performance Health and Safety During Covid-19*. Ministry of Labour: The Government of Ontario, February 10, 2021.

2 WorkSafeBC, *Performing Arts: Protocols for Returning to Operation: General Considerations*

3 Both Public Health Canada and WorkSafeBC were clear that no one should be allowed entrance into the theatre if they answer “yes” to any of the questions listed.

4 Although Canada’s Chief Public Health Officer, Dr. Theresa Tam, concludes that “temperature taking is “not effective at all” to identify people who have Covid-19, the Event Safety Alliance and the Performing Arts Centre Consortium recommends that temperature screening be a part of the overall screening performed prior to anyone entering the theatre space.

5 *Live Performance Health and Safety During Covid-19*. Ministry of Labour: The Government of Ontario, February 10, 2021.

6 *Live Performance Health and Safety During Covid-19*. Ministry of Labour: The Government of Ontario, February 10, 2021.

7 The Government of Ontario’s “Covid-19 Response Framework: Keeping Ontario Safe and Open” has instituted a colour-coded system to control the rise of infections in the province. Each colour-coded section lists restrictions. Capacity limits per venue, regardless of the colour of the code or region, “where physical distancing of two metres can be maintained are 50 spectators indoors and 100 spectators outdoors”. It is presumed the capacity limits apply to the entire facility, regardless of the number of theatres or performance stages within the facility. Performers and volunteers are not ‘spectators; so are not included in the capacity limits.

8 *Live Performance Health and Safety During Covid-19*. Ministry of Labour: The Government of Ontario, February 10, 2021.

9 Both N95 masks and face shields were recommended when taking temperatures by the Event Safety Alliance. Theatres will have to decide what is best for mitigating the risk in their space and with their patron and volunteer populations.

10 See [Ontario Government Covid-19 Self-assessment](#) and [Ontario Government Covid-19 Customer Screening](#) and [Ontario Government COVID-19 Worker and Employee Screening](#)

11 *Live Performance Health and Safety During Covid-19*. Ministry of Labour: The Government of Ontario, February 10, 2021.

12 A number of references recommended eliminating cash altogether and utilizing touchless options. Offering a wooden stylus and gloves to patrons further reduces the possibility of contamination as does disinfecting POS machines between users. *The Event Safety Alliance Reopening Guide: For Event Professionals During the COVID-19 Pandemic*. The Event Safety

Alliance; Marshall, C. J. and Christian, Dionne. *Guide to Reopening Theatrical Venues (2nd Draft Edition)*. The Performing Arts Centre Consortium: Advisory Committee on Reopening: May 15, 2020; *Newfoundland/Labrador Covid-19 Guidelines for Re-Opening Theatres and Performing Arts Venues (Performance Venues) at Alert Level 2: Protocols for Returning to Operation*. Work Safe BC: July 13,2020; *Saskatchewan Movie and Live Theatre Guideline*.

13 *Live Performance Health and Safety During Covid-19*. Ministry of Labour: The Government of Ontario, February 10, 2021.

14 All references cited emphasized the importance of training volunteers on safe and correct cleaning protocols as well as proper use of masks and gloves, hand hygiene, and sneeze etiquette. They also will need instruction on what to do if they feel ill before a shift, become ill on a shift, or have a patron who reports feeling ill during a show.

15 There was not sufficient information from the printed materials about collecting names and contact information from anyone who enters the theatre during construction, rehearsals, or performances. Newfoundland/Labrador was the only source that referred to keeping a daily attendance record. However, a conversation with York Region Public Health revealed that they very much want names and contact information should someone test positive and they need to follow up.

16 The information contained in this section came specifically from the Event Safety Alliance guide and was quite comprehensive; therefore, it was included in the plan. (Aldelman, Steven A. (ed). *The Event Safety Alliance Reopening Guide: For Event Professionals During the COVID-19 Pandemic*. The Event Safety Alliance.)

17 *Coronavirus Disease 2019 (COVID-19): Cleaning and Disinfecting for Public Settings*. Ontario Government: Ontario Public Health: March 11, 2020.

18 *Community-based measures to mitigate the spread of coronavirus disease (COVID-19) in Canada*. Government of Canada: Public Health Agency of Canada: May 30,2020.

19 The list has been compiled from a few sources and covers all areas of the theatre. Individual theatres may want to amend the list to fit with their needs, and rehearsal and theatre space. (Aldelman, Steven A. (ed). *The Event Safety Alliance Reopening Guide: For Event Professionals During the COVID-19 Pandemic*. The Event Safety Alliance; *Community-based measures to mitigate the spread of coronavirus disease (COVID-19) in Canada*. Government of Canada: Public Health Agency of Canada: May 30,2020; *Coronavirus Disease 2019 (COVID-19): Cleaning and Disinfecting for Public Settings*. Ontario Government: Ontario Public Health: March 11, 2020; Marshall, C. J. and Christian, Dionne. *Guide to Reopening Theatrical Venues (2nd Draft Edition)*. The Performing Arts Centre Consortium: Advisory Committee on Reopening: May 15, 2020; *Performing Arts: Protocols for Returning to Operation*. Work Safe BC: July 13,2020; *Saskatchewan Movie and Live Theatre Guideline*.)

20 *Live Performance Health and Safety During Covid-19*. Ministry of Labour: The Government of Ontario, February 10, 2021.

21 See [Public Health Agency of Canada's Cleaning and Disinfecting Public Spaces](#)

22 Portable electrostatic disinfecting equipment is available in Canada. The equipment varies in cost and training is provided if theatres are interested and able to afford the investment. (Aldelman, Steven A. (ed). *The Event Safety Alliance Reopening Guide: For Event Professionals During the COVID-19 Pandemic*. The Event Safety Alliance.)

23 Most of the reference sources recommended measures to ensure safe movement of patrons into and out of the house and theatre. The recommendations cited most frequently were reserved seating, visual floor markings, row and seat identification, blocking seats, and/or rows and a managed orderly exit from the house.

24 The reference sources for this section were Aldelman, Steven A. (ed). *The Event Safety Alliance Reopening Guide: For Event Professionals During the COVID-19 Pandemic*. The Event Safety Alliance; Marshall, C. J. and Christian, Dionne. *Guide to Reopening Theatrical Venues (2nd Draft Edition)*. The Performing Arts Centre Consortium: Advisory Committee on Reopening: May 15, 2020; *Performing Arts: Protocols for Returning to Operation*. Work Safe BC: July 13, 2020.

25 The list of recommendations primarily come from a few sources that addressed production issues directly. They are grouped together in one note although the recommendations are varied in scope. (Adelman, Steven A. (ed). *The Event Safety Alliance Reopening Guide: For Event Professionals During the COVID-19 Pandemic*. The Event Safety Alliance; Marshall, C. J. and Christian, Dionne. *Guide to Reopening Theatrical Venues (2nd Draft Edition)*. The Performing Arts Centre Consortium: Advisory Committee on Reopening: May 15, 2020; *Performing Arts: Newfoundland/Labrador Covid-19 Guidelines for Re-Opening Theatres and Performing Arts Venues (Performance Venues) at Alert Level 2*: June 25, 2020; *Performing Arts: Protocols for Returning to Operation*. Work Safe BC: July 13, 2020; *Saskatchewan Movie and Live Theatre Guideline*; Smaine, Darta. *The Theatre Industry in Latvia is Resuming Post COVID-19, Here's How They're Doing It*. OnStage Blog.)

26 *Live Performance Health and Safety During Covid-19*. Ministry of Labour: The Government of Ontario, February 10, 2021.

27 To do a risk assessment of your rehearsal space or theatre, consider using the "2020 COVID-19 Aerosol Transmission Estimator" from the University of Colorado-Boulder.

28 See [Ontario Government Covid-19 Self-assessment](#) and [Ontario Government COVID-19 Worker and Employee Screening](#)

29 *Live Performance Health and Safety During Covid-19*. Ministry of Labour: The Government of Ontario, February 10, 2021.

30 Consider looking at the “Performing Arts Aerosol Study” (National Federation of State High School Associations) for more information on aerosol tests on singers and instruments.
<https://www.nfhs.org/activities-sports/music/>

31 *Live Performance Health and Safety During Covid-19*. Ministry of Labour: The Government of Ontario, February 10, 2021.

32 Emergency Exit section has been taken directly from Aldelman, Steven A. (ed). *The Event Safety Alliance Reopening Guide: For Event Professionals During the COVID-19 Pandemic*. The Event Safety Alliance.

33 This references a document put out by Johns Hopkins Centre for Health Security. Although this is specifically designed for state governors in the United States, the risk mitigation hierarchy of controls has been widely used by public health agencies in both Canada and the US. (Rivers C, Martin E, Watson C, et al. *Public Health Principles for a Phased Reopening During COVID-19: Guidance for Governors*. Johns Hopkins Bloomberg School of Public Health, Center for Health Security: April 17, 2020.)

34 Sources: *Community-based measures to mitigate the spread of coronavirus disease (COVID-19) in Canada*. Government of Canada: Public Health Agency of Canada: May 30, 2020; *Performing Arts: Protocols for Returning to Operation*. Work Safe BC: July 13, 2020.

Appendix A: Code of Conduct

Adapted from [Soulpepper Theatre's Code of Conduct](#)

[Theatre Name] seeks continually to provide a welcoming and comfortable environment for everyone, and pledges to treat all visitors with the utmost respect and dignity. We ask that visitors reciprocate the same in their treatment of our staff, artists, volunteers, and other guests, whether in person or online.

With this in mind, discrimination or harassment of any kind, whether based on race, colour, national origin, religion, creed, gender identity, age, physical, mental or developmental disability, marital status, sexual orientation, political ideology, or any other reason, will not be tolerated. [Theatre Name] reserves the right to remove comments and/or any person who demonstrates violent, discriminatory, or harassing language and/or behavior; and to refuse admission or participation to anyone who has violated these conditions during previous activities.

As of [date], we ask that every person in the theatre (patrons, staff, artists, volunteers and other guests) adhere to all rules and bylaws regarding COVID-19 (physical distancing, wearing of masks or face coverings, handwashing, not attending the theatre if you have any symptoms, etc.). [Theatre Name] reserves the right to deny entry to anyone exhibiting symptoms.

Appendix B: Attendance Record Template

RECORD OF ATTENDANCE

Name of Show: _____

Date/Time: _____

These records must be retained and if requested, be produced to an Authorised Public Health Officer.

Name of Attendee	Phone Number

Appendix C: “Cleaning and Sanitizing the Venue” Checklist

Sanitizing High-Touch Areas

Surfaces and objects that are touched frequently, such as the ones listed below, should be regularly cleaned and disinfected (including upon arrival and before leaving) using products approved by the applicable health authority. ALWAYS use a face mask and gloves when cleaning and sanitizing and dispose of them afterwards in the garbage.

Front of House, Lobby, Kitchen, Hallways, Washrooms

- ☐ Public Areas (lobby-seating area around the walls, fireplace, display case, hallways)
- ☐ All door handles, handrails, push plates
- ☐ Light switches, thermostats, and remote
- ☐ Handrails for stairs
- ☐ Box office desk, bar counter, 50/50 table
- ☐ Telephones, Point of Sale terminals
- ☐ Tables and chairs
- ☐ Trash receptacle touch points
- ☐ Washroom counter tops, sink faucets, toilet handles, soap and towel dispensers
- ☐ Kitchen counter and island top, sink faucets, and soap and towel dispensers
- ☐ Lids of containers for disposal of women’s sanitary products
- ☐ Individual office furniture (if used)
- ☐ Empty all garbage cans at end of performance or rehearsal into Covid-19 designated garbage bags and/or garbage receptacles

Back of House Space, Dressing Areas, Green Rooms, Booth

- ☐ Door handles, push plates, doorways
- ☐ Light switches and thermostats

- ☐ Telephone, monitors, TV, computers, other keypads, mouse
- ☐ ASM desks and chairs
- ☐ Microphones and headsets
- ☐ Backstage and booth technical equipment
- ☐ Trash receptacle touch points
- ☐ Back of House fridge, cabinet handles, and food preparation areas, including props tables
- ☐ Counter tops, cabinet handles and chairs in dressing rooms
- ☐ Handles of kettles and water jugs
- ☐ Washroom countertop, faucets, toilet handle, towel and soap dispensers
- ☐ Handles of backstage sink
- ☐ Cleaning tools and buckets
- ☐ Props table
- ☐ Seat arm rests and railings in the theatre
- ☐ Empty all garbage cans at end of performance or rehearsal into Covid-19 designated garbage bags and/or garbage receptacles.

Actors are responsible for their own personal space in the dressing room. Disinfecting wipes and gloves will be provided. Makeup, brushes, jewellery, and wigs are to be for the sole use of the actor. No sharing of items. Actors are instructed to clean and disinfect their personal props and any items used during the run of the show.

Cleaning and Disinfecting

Cleaning removes dirt and impurities from surfaces and objects, and may lower germ counts by removing but not necessarily killing them. Disinfecting reduces and kills germs on surfaces and objects. Because disinfecting does not necessarily clean the surface, cleaning and disinfecting are both essential.

Cleaning Technique.

Clean high-touch areas by using water and soap or cleaning solution to remove dirt and impurities from surfaces and objects and reduce germ counts.

Disinfecting Technique.

High-touch areas should be disinfected using materials effective against COVID-19. Electrostatic disinfecting can quickly disinfect a seating area between events. Electrostatic disinfecting is a means of spraying a fine mist of positively charged disinfectant particles that adhere to surfaces and objects.

Following the Manufacturer's Instructions.

In all instances, including technical and production equipment such as microphones and headphones, it is important that cleaning procedures follow the manufacturer's instructions. This will increase the likelihood of a thorough cleaning while not damaging the equipment or voiding a warranty.

Disposal.

Place gloves and other disposable items used for cleaning and disinfecting in specifically designated Covid-19 garbage bags and/or garbage receptacles before disposing of them.

Frequency.

The frequency of cleaning high-touch areas should be determined based on the surface or object and how it is used, applying guidance from local health authorities.

Documentation.

Documenting that health and safety practices were followed at the correct intervals can help a business show that it behaved reasonably under its circumstances, which would be a key issue in a lawsuit. A supervisor should ensure that cleaning logs are carefully entered and preserved for reference. Events that contract to use a venue should request a copy of the venue's cleaning and disinfection plan.

Reference: *The Event Safety Alliance Reopening Guide: For Event Professionals During the COVID-19 Pandemic*, Steven A. Adelman (ed), pgs. 9-10

Appendix D: The Government of Ontario's COVID-19 Safety Plan

Use this template which has been amended for community theatres to document how your organization will keep volunteers and other people safe at your theatre location during the COVID-19 pandemic. [How to develop your COVID-19 safety plan: A guide for Ontario workplaces](#) explains what you should think about and gives examples to help you come up with your plan.

Theatre details

Theatre name:

Developed By:

Date completed:

Date Distributed:

Revision date:

Others consulted:

There are six questions in the plan. Provide as much information in response to each question as possible. This will help your volunteers, members, patrons and other people to know exactly what to do and what to expect.

The final page will help you create a snapshot version of your plan to post in your theatre. This can act as a reference for volunteers and members and let others who come into your theatre know what you are doing to help keep everyone in your theatre space safe.

The COVID-19 pandemic is an evolving situation – review your plan regularly and make changes as required. Refer to the Ontario government's [COVID-19 website](#) for up-to-date information.

1. How will you ensure all volunteers know how and are able to keep themselves safe from exposure to COVID-19?

Consider: What guidance and training will you need to provide to volunteers? How will you share information? Do you need new or more frequent types of communication? Where will you update yourself on new COVID-19 guidance?

Example: Ensure our procedures are up to date by regularly reviewing Ministry of Health guidance.

Actions:

- [List your actions here. Note who is responsible for each action.]

Example:

- *Post updates and reminders in common areas and through emails or eblasts.*

2. How will you screen for COVID-19?

Consider: How you will stay current about what symptoms to look for? Will you use a screening checklist and/or non-touch digital thermometer? Who will do the screening and what kind of training will they require? Who needs to be screened and how often?

Example: To find out if volunteers are well when they come for their volunteer shift, we will ask each volunteer basic questions about their physical health and symptoms using the provincial list of COVID-19 symptoms. Require volunteers to call in before their shift to let the theatre know that they are not ill and show no symptoms.

Actions:

- [List your actions here. Note who is responsible for each action.]

Example:

- *Post clear signage with screening questions and protocol at all entrances. Remind volunteers to use the [online COVID-19 self-assessment](#).*

3. How will you control the risk of transmission in your theatre?

Include how you will maximize distance and separation, reduce transmission from surfaces and objects, and support good hand and respiratory hygiene.

Consider: What engineering and administrative controls will you use? What changes will you make? Who needs to be in the theatre at any one time? How will you gather volunteer ideas about different ways of managing their responsibilities?

Use barriers, such as plexiglass, to maintain a separation when physical distancing is difficult to maintain. Update policies and procedures to include enhanced cleaning and disinfecting protocols to keep the high touch areas as free of the virus as possible. Display hand washing and hand sanitizing and sneeze etiquette posters throughout the facility.

Example: We have a new policy around cleaning and disinfecting and mask wearing, and have changed how we schedule volunteer shifts.

Actions:

- [List your actions here. Note who is responsible for each action.]

Example:

- *Use barriers, such as plexiglass, to maintain a separation when physical distancing is difficult to maintain. Update policies and procedures to include enhanced cleaning and disinfecting protocols to keep the high touch areas as free of the virus as possible. Display hand washing and hand sanitizing and sneeze etiquette posters throughout the facility.*

4. What will you do if there is a potential case, or suspected exposure to, COVID-19 at your organization?

There are steps that need to be taken if someone has symptoms which may be related to COVID-19, or is diagnosed with COVID-19.

Consider: What is the contact information for your local public health unit? What are your isolation procedures? How will you gather contact information for public health contact tracing?

If a volunteer informs the theatre that they are ill, has symptoms of COVID-19 or has been in close contact with symptoms have them [take the self-assessment](#). If a volunteer displays symptoms while on shift they should be advised to leave, return home, and self-isolate. Contact Public Health for guidance and follow their instructions.

Example: We have designated a safe isolation area in the theatre and created a checklist with the procedures of what to do if a member gets sick while volunteering, including key contact numbers. The checklist includes date, approximate length and frequency of the interaction, full names, contact numbers and addresses.

Actions:

- [List your actions here. Note who is responsible for each action.]

Example:

- *If a volunteer informs the theatre that they are ill, has symptoms of COVID-19 or has been in close contact with symptoms have them [take the self-assessment](#). If a volunteer displays symptoms while on shift they should be advised to leave, return home, and self-isolate. Contact Public Health for guidance and follow their instructions.*

5. How will you manage any new risks caused by changes to the way you now operate?

Consider: With volunteers, review existing critical risks and whether work practice changes will affect your current risk management strategy. Are any new risks introduced due to changes in volunteer numbers or work practices? What new risk controls are required?

Example: We will establish regular check-ins with volunteers about how they're coping with the changes.

Actions:

- [List your actions here. Note who is responsible for each action.]

Example:

- *The Production Manager will check in on a regular basis with the production team for each show and the Front-of-House Manager will check in with the front-of-house team for each show to see if there are any challenges or risks that arise when implementing the new protocols.*

6. How will you make sure your plan is working?

Consider: How often will you schedule a review of your plan? How will you get input and ideas from volunteers, members and patrons? Who is responsible for evaluating how things are working and for adapting the plan as you find better/easier ways to do things? How will you communicate changes and updates to the plan?

Example: We will ask for feedback from volunteers and patrons and the board of directors will review the feedback and the plan on a regular basis.

Actions:

- [List your actions here. Note who is responsible for each action.]

Example:

- *The Board of Directors will ask for feedback from volunteers and patrons after the first show of the season using a variety of feedback platforms. The feedback will be considered when revising existing protocols and guidelines.*

COVID-19 safety plan – snapshot

This snapshot can be posted in a place where it can be seen easily so your volunteers, members, patrons and other people entering the theatre will know what actions are being taken.

Theatre name:

Date completed:

Revision date:

Measures we're taking

How we're ensuring volunteers know how to keep themselves safe from exposure to COVID-19

- [List your measures here.]

How we're screening for COVID-19

- [List your measures here.]

How we're controlling the risk of transmission in our theatre

Physical distancing and separation

- [List your measures here.]

Cleaning

- [List your measures here.]

Other

- [List your measures here.]

What we will do if there is a potential case, or suspected exposure to, COVID-19 at our theatre

- [List your measures here.]

How we're managing any new risks caused by the changes made to the way we now operate

- [List your measures here.]

How we're making sure our plan is working

- [List your measures here.]

Appendix E: Links to Covid-19 Posters and Fact Sheets

[City of Toronto](#)

[York Region](#)

[Durham Region](#)

[Peel Region](#)

[Simcoe Muskoka](#)